

## Cumacés de profondeur de l'atlantique nord-famille des lampropidae



Deep-sea cumaceans of the family Lampropidae are recorded from the North Atlantic Ocean. They belong to the genera Chalarostylis ( 1 species ) , Hemilamprops ( 3 species ) , Typolamprops ( a new genus with 1 new species ) , Mesolamprops ( with 1 new species ) , Bathylamprops ( with 1 new species ) , Paralamprops ( 5 species of which 3 new ) , and Platysympus ( 1 species ) . [NOT CONTROLLED OCR]

**Auteurs du document :** Reyss, Daniel

**Obtenir le document :** E. J. Brill, Leiden

**Mots clés :** Histoire Ifremer

**Thème (issu du Text Mining) :** MILIEU NATUREL, INFORMATION - INFORMATIQUE

**Date :** 1978-10

**Format :** text/xml

**Source :** Crustaceana (E. J. Brill, Leiden), 1978-10 , Vol. 35 , N. 1 , P. 53-73

**Langue :** Inconnu

**Droits d'utilisation :** E. J. Brill, Leiden, info:eu-repo/semantics/openAccess, restricted use

**Télécharger les documents :** <https://archimer.ifremer.fr/doc/1978/publication-5172.pdf>

<https://archimer.ifremer.fr/doc/00000/5172/>

**Permalien :** <https://www.documentation.eauetbiodiversite.fr/notice/cumaces-de-profondeur-de-l-atlantique-nord-famille-des-lampropidae0>

Evaluer cette notice: