

## Le banc de gorringe (sud-ouest du portugal), un fragment de manteau et de croûte océanique reconnu par submersible



An almost complete geological section of the oceanic crust and upper mantle outcropping on the flanks of the Gorringe Bank has been surveyed during eight dives of SP 3000 Cyana submersible. The section which is slightly tilted to the east bears a close resemblance to an ophiolitic complex. [NOT CONTROLLED OCR], Une série de huit plongées avec l'engin submersible SP 3000 Cyana a permis de reconnaître, à l'affleurement sur le massif de Gorringe, une coupe presque complète de la croûte océanique et du manteau supérieur. L'ensemble, légèrement basculé vers l'est, évoque un complexe ophiolitique. [OCR NON CONTRÔLE]

**Auteurs du document :** Auzende, Jean-marie, Charvet, J, Le Lann, Alain, Lepichon, X, Monteiro, Jh, Nicolas, Anne, Olivet, Jean-louis, Ribeiro, A

**Obtenir le document :** Gauthier-villars

**Thème (issu du Text Mining) :** GEOLOGIE, INDUSTRIE, MILIEU NATUREL, INFORMATION - INFORMATIQUE

**Date :** 1977

**Format :** text/xml

**Source :** Comptes Rendus Hebdomadaires Des Seances De L Academie Des Sciences Serie D (Gauthier-villars), 1977 , Vol. 285 , N. 16 , P. 1403-1406

**Langue :** Inconnu

**Droits d'utilisation :** Académie des Sciences de Paris, info:eu-repo/semantics/openAccess, restricted use

**Télécharger les documents :** <https://archimer.ifremer.fr/doc/1977/publication-5219.pdf>

<https://archimer.ifremer.fr/doc/00000/5219/>

**Permalien :** <https://www.documentation.eauetbiodiversite.fr/notice/le-banc-de-gorringe-sud-ouest-du-portugal-un-fragment-de-manteau-et-de-crouete-oceanique-reconnu-par-0>