

Structure des otolithes d'un macrouridae (poisson gadiforme) bathyal. Etude au microscope électronique à balayage



The structure of the otoliths of the deep-sea Macrourid *Coryphaenoides guentheri* was determined by means of scanning electron microscopy. The structure of the concentric zones is the same as in otoliths of fish from upper layers and cyclic phenomena exist for deep-sea fish as well. [NOT CONTROLLED OCR]. L'examen au microscope électronique à balayage des formations concentriques observées dans les otolithes du Macrouridae *Coryphaenoides guentheri* montre que leur structure est la même que chez les poissons des zones photiques. Les poissons des grandes profondeurs présentent donc des phénomènes cycliques dont l'origine reste à préciser. (OCR NON CONTRÔLÉ)

Auteurs du document : Rannou, M., Thiriou-quievreux, Catherine

Obtenir le document : Institut Océanographique Paris

Mots clés : Histoire Ifremer

Thème (issu du Text Mining) : FAUNE, MILIEU NATUREL, INFORMATION - INFORMATIQUE

Date : 1975

Format : text/xml

Source : Annales de l'Institut Océanographique Paris (Institut Océanographique Paris), 1975 , Vol. 51 , N. 2 , P. 195-201

Langue : Inconnu

Droits d'utilisation : Institut Océanographique Paris, info:eu-repo/semantics/openAccess, restricted use

Télécharger les documents : <https://archimer.ifremer.fr/doc/1975/publication-5472.pdf>

<https://archimer.ifremer.fr/doc/00000/5472/>

Permalien : <https://www.documentation.eauetbiodiversite.fr/notice/structure-des-otolithes-d-un-macrouridae-poisson-gadiforme-bathyal-etude-au-microscope-electronique-0>

Evaluer cette notice: