

Etat des connaissances sur l'Ormeau (Haliotis tuberculata)



Due to the lack of regulation allowing commercial exploitation of abalone (Haliotis tuberculata), French research was directed towards a half extensive aquaculture starting from hatchery juveniles and using the natural production of macrophyte algae of rocky intertidal areas. Spat is produced in the Argenton hatchery (Western Brittany) with an original high density technique (4 000 juveniles of 8 months/m²). About 55 000 juveniles are produced each year and immersed in habitats of 3 types.

Auteurs du document : Cochard, Jean-claude, Flassch, Jean-pierre

Obtenir le document : Publ. CNEXO (France) (Actes Colloq.)(no. 12)

Mots clés : Histoire Ifremer

Thème (issu du Text Mining) : MILIEU NATUREL, INFORMATION - INFORMATIQUE

Date : 1979-05

Format : text/xml

Langue : Inconnu

Droits d'utilisation : info:eu-repo/semantics/openAccess, restricted use

Télécharger les documents : <https://archimer.ifremer.fr/doc/1979/publication-6043.pdf>

<https://archimer.ifremer.fr/doc/00000/6043/>

Permalien : <https://www.documentation.eauetbiodiversite.fr/notice/etat-des-connaissances-sur-l-ormeau-haliotis-turberculata0>

[Evaluer cette notice:](#)