

## Etude de la pollution bactérienne d'un chenal ostréicole : le chenal de Putet à La Tremblade - Influences respectives du tourisme et de la station d'épuration des eaux usées



Some water samplings and bacteriological analyses carried out in the centre of the basin (pointe du Chapus) in 1979 (Heral and Prou 1980) show a good average water quality. In the summer, a pollution linked to tourist activities in the region shows an increase in the number of faecal coliforms. Des prélèvements et analyses bactériologiques effectués au centre du bassin (pointe du Chapus) au cours de l'année 79 (HERAL et PROU 1980) montrent la bonne qualité moyenne des eaux du bassin. En été, une pollution estivale liée à l'activité touristique de la région est marquée par un accroissement du nombre de coliformes fécaux...

**Auteurs du document :** Prou, Jean, Faury, Nicole

**Mots clés :** Streptocoques, Coliformes, Bactériologie, Station épuration, Hydrologie, Ostréiculture, Pollution bactérienne

**Thème (issu du Text Mining) :** MILIEU NATUREL, TYPOLOGIE DES EAUX

**Date :** 1980

**Format :** text/xml

**Langue :** Inconnu

**Droits d'utilisation :** info:eu-repo/semantics/openAccess, restricted use

**Télécharger les documents :** <https://archimer.ifremer.fr/doc/1980/rapport-6302.PDF>

<https://archimer.ifremer.fr/doc/00000/6302/>

**Permalien :** <https://www.documentation.eauetbiodiversite.fr/notice/etude-de-la-pollution-bacterienne-d-un-chenal-ostreicole-le-chenal-de-putet-a-la-tremblade-influence0>