

Document généré le 06/07/2025 depuis l'adresse https://www.documentation.eauetbiodiversite.fr/notice/determination-ofstocking-density-limits-for0.

Determination of stocking density limits for _____

The first aim of this study was to determine the stocking density limits for Pacific oyster Crassostrea gigas larvae reared in flow-through system (FTS) and recirculating aquaculture systems (RAS). The second aim was to examine biofilm formation on the larval tank wall and its interaction with larvae growth. Three larvae concentrations were tested: 50, 150, and 300 mL–1. Chemical parameters and larvae performance were measured. The biofilm was observed by scanning electron microscopy, and its bacterial composition was investigated by pyrosequencing analysis of part of the 16S rRNA gene. The highest growth (13 μ m day–1), survival (87%) and metamorphosis (50%) rates were observed in FTS at 50 larvae mL–1, while lower and similar performances occurred at 150 larvae mL–1 in both systems. At 300 larvae mL–1, performances dropped with occurrence of mortality. Biofilm thickness increased with larval density. The pioneer bacteria were coccobacilli followed by filamentous bacteria. The latter constituted abundant braids at the end of rearing at high larval concentrations. The first colonizers were mainly Rhodobacteraceae (α -Proteobacteria). The filamentous bacteria, Planctomycetes, δ -, γ -Proteobacteria, and Flavobacteriales. The biofilm's composition was more similar to that found in a sewage reactor than in open-sea collectors, which might negatively influence larval rearing due to potential metabolites. This first study on biofilms provides insights into the interaction between rearing density and larvae performance.

Auteurs du document : Katia Asmani, Bruno Petton, Jacqueline Le Grand, Jérôme Mounier, René Robert, Jean-Louis Nicolas Obtenir le document : EDP Sciences Mots clés : Pacific oyster, Larval culture, High stocking density, Biofilm, Filamentous bacteria Date : 2017-08-11 Format : text/xml Source : https://doi.org/10.1051/alr/2017023 Langue : Anglais Télécharger les documents :https://www.alr-journal.org/10.1051/alr/2017023/pdf Permalien : https://www.documentation.eauetbiodiversite.fr/notice/determination-of-stocking-density-limits-for0

Evaluer cette notice:



Ce portail, créé et géré par l'Office International de l'Eau (OIEau), est géré avec l'appui de l'Office français de la biodiversité (OFB)

